

## 10-PAGE REFERENCE LIST: TEN YEARS YOUNGER

### ADHERENCE TO DIETARY CHANGES

- Barnard ND et al. Factors that facilitate compliance to lower fat intake. *Arch Fam Med* 1995;4:153-8.
- Hunt JR et al. Physician recommendations for dietary change: their prevalence and impact in a population-based sample. *Am J Public Health* 1995;85:722-6.
- Jeffery RW, et al. Strengthening behavioral interventions for weight loss: a randomized trial of food provision and monetary incentives. *J Consult Clin Psychol* 1993;61:1038-45.
- Masley SC. Enhancing Dietary Compliance, Sept. 1998 issue of *The Permanente Forum*.
- Horvat KB et al. The new food label, type of fat, and consumer choices. *Arch Family Med* 1994;3:690-94.

### AGING

- Goldberg RJ, et al. Factors associated with survival to 75 years of age in middle-aged men and women. *Arch Int Med* 1996;156:746-58.
- Kreisberg RA, Kasim S. Cholesterol metabolism and aging. *Am J Med* 1987;26:54-60.
- Masley SC. *The 28-Day Antioxidant Diet Program*. 1996. Vitality Books, St Petersburg, Florida.
- Olshansky SJ, et al. A potential decline in life expectancy in the United States in the 21<sup>st</sup> century. *N Engl J Med* 2005;352:1138-45.
- Preston SH. Deadweight?—The influence of obesity on longevity. *N Engl J Med* 2005;352:1135-7.
- Roizen MF. *The RealAge Makeover*. Harper Collins, New York, 2004.
- Trappe SW, et al. Aging among elite distance runners. *J Appl Physiol* 1996;80:285-90.
- Willett WC. *Eat, Drink, and Be Healthy. The Harvard Medical School Guide to Healthy Eating*. New York: Simon & Schuster Source 2001.

### ALCOHOL

- Berger K, et al. Light to moderate alcohol consumption and the risk of stroke among US male physicians. *N Engl J Med* 1999;341:1557-64.
- Cho E, et al. Alcohol intake and colorectal cancer. *Ann Intern Med* 2004;140:603-13.
- Fuhrman B, et al. Consumption of red wine with meals reduces the susceptibility of human plasma and low-density lipoprotein to lipid peroxidation. *Am J Clin Nutr* 1995;61:549-54.
- Gronbaek M, et al. Type of alcohol consumed and mortality from all causes, coronary heart disease, and cancer. *Ann Intern Med* 2000;133:411-419.
- Klatsky AL et al. Alcohol and mortality. *Ann Intern Med*. 1992;117:646-54.
- Levitan EB, et al. Association between consumption of beer, wine, and liquor and plasma concentration of high sensitivity-C-reactive protein in women aged 39-89 years. *Am J Cardiol* 2005;96:83-88.
- Meyer KA, et al. Alcohol consumption patterns and HbA1c, C-peptide, and insulin concentrations in men. *J Am Coll Nutr* 2003;22:185-94.
- Renaud S, DeLorgeril M. Wine, alcohol, platelets, and the French paradox for coronary heart disease. *Lancet*;1992;339:1523-26.
- Reynolds K, et al. Alcohol consumption and risk of stroke. *JAMA* 2003;289:579-88.
- Rimm EB et al. Alcohol in the Mediterranean diet. *Am J Clin Nutr* 1995;61:1378S-82S
- Saitz R. Unhealthy Alcohol Use. *New England Journal Medicine* 2005;352:596-07.
- Solomon CG, et al. Moderate alcohol consumption and risk of coronary heart disease among women with type 2 diabetes mellitus. *Circulation* 2000;102:494-9.
- Thun MJ, et al. Alcohol consumption and mortality among middle-aged and elderly US adults. 1997;337:1705-14.

### ANTIOXIDANTS

- Block G, et al. Fruit, vegetables and cancer prevention. *Nutr Cancer* 1992;18:1-29.
- Byers T, Guerrero N. Epidemiologic evidence for vitamin C and vitamin E in cancer prevention. *Am J Clin Nutr* 1995;62(S) 1385-92.
- Cao G, et al. Antioxidant capacity of tea and common vegetables. *J Agric Food Chem* 1966;4:3426-31.
- Diaz MN, et al. Antioxidants and atherosclerotic heart disease. *N Eng J Med* 1997;337:408-16.
- Garner C, et al. Lycopene is more bioavailable form tomato paste than from fresh tomatoes. *Am J Clin Nutr* 1997;66:116-22.
- Hertog MGL, et al. Dietary antioxidant flavonoids and risk of coronary heart disease: the Zutphen Elderly Study. *Lancet* 1993;342:1007-11.
- Johnson LE. The emerging role of vitamins as antioxidants. *Arch Fam Med* 1994;3:809-16.
- Liu S, et al. Fruit and vegetable intake and risk of cardiovascular disease. *The Women's Health Study*. *Am J Clin Nutr* 2000;72:922-8.
- Meydani SN, et al. Antioxidants and immune response in aged persons. *Am J Clin Nutr* 1995;1462S-76S.
- Prior RL, et al. Antioxidant capacity as influenced by total phenolic and anthocyanin content, maturity, and variety of *Vaccinium* species. *J Agric Food Chem* 1998;46:2686-93.
- Tsang C, et al. The influence of moderate red wine consumption on antioxidant status and indices of oxidative stress associated with CHD in healthy volunteers. *Br J Nutr* 2005;93:233-40.
- Wang H, et al. Total antioxidant capacity of fruits. *J Agric Food Chem* 1996;44:701-5.
- Wang H, et al. Oxygen radical absorbing capacity of anthocyanins. *J Agri Food Chem* 1997;45:304-9.

### BODY COMPOSITION

- Evans WJ. Effects of exercise on body composition and functional capacity of the elderly. *J Gerontol A Biol Sci Med Sci* 1995;50:14-50.

- Gallagher D et al. Healthy percentage body fat ranges: an approach for developing guidelines based on body mass index. *Am J Clin Nutr* 2000;72:694-701.
- Irwin ML, et al. Effect of exercise on total and intra-abdominal body fat in postmenopausal women. *JAMA* 2003;289:323-30.
- Janssen I et al. Waist circumference and not body mass index explains obesity-related health risk. *Am J Clin Nutr* 2004;79:379-84.
- Rantanen T et al. Muscle strength and body mass index as long-term predictors of mortality in initially healthy men. *J Gerontol A Biol Sci Med Sci.* 2000;55:168-73.

#### CALCIUM

- Aloia JF, et al. Calcium supplementation with and without HRT therapy to prevent postmenopausal bone loss. *An Intern Med* 1994;120:97-103.
- Cummings JH, et al. The effect of meat protein and dietary fiber on colonic function and metabolism. *Am J Clin Nutr* 1979;32:2086-93.
- Heaney RP, Weaver CM. Calcium absorption from kale. *Am J Clin Nutr* 1990;51:656-7.
- Heaney RP, et al. Soybean phytate content: effect on calcium absorption. *Am J Clin Nutr* 1991;53:745-7.
- Matkovic V, et al. Urinary calcium, sodium, and bone mass of young females. *Am J Clin Nutr* 1995;62:417-25.
- Nordin BEC. Calcium requirement is a sliding scale. *Am J Clin Nutr* 2000;71:1381-3.
- Remer T, Manz F. Estimation of the renal net acid excretion by adults consuming diets containing variable amounts of protein. *Am J Clin Nutr* 1994;59:1356-61.
- Ross EA, et al. Lead content of calcium supplements. *JAMA* 2000;284:1425-29.
- Weinsier RL, Krumdieck CL. Dairy foods and bone health: examination of the evidence. *Am J Clin Nutr* 2000;72:681-9.

#### CANCER

- Chao A, et al. Meat consumption and risk of colorectal cancer. *JAMA* 2005;293:172-182.
- Conaway CC, et al. Disposition of glucosinolates and sulforaphane in humans after ingestion of steamed and fresh broccoli. *Nutr Cancer* 2000;38:168-78.
- Gann PH, et al. Lower prostate cancer risk in men with elevated plasma lycopene levels. *Cancer Research* 1999;59:12225-30.
- Giovannucci E, et al. A prospective study of tomato products, lycopene, and prostate cancer risk. *J Nat Cancer Institute* 2002;94:391-8.
- Poynter JN, et al. Statins and risk of colorectal cancer. *N Engl J Med* 2005;352:2184-92.
- Sato R, et al. Prospective study of carotenoids, tocopherols, and retinoid concentrations and the risk of breast cancer. *Cancer, Epidemiology, Biomarkers & Prevention* 2002;11:451-57.
- Willett WC. Diet and Cancer. *N Engl J Med* 2005;352:233-34.

#### CARDIOVASCULAR DISEASE

- Anderson JW, et al. Cardiovascular and renal benefits of dry bean and soybean intake. *Am J Clin Nutr* 1999;70:464S-74S.
- Barnard RJ, et al. *Circulation* 2002 ;106 :2530-32
- Boden WE, et al. Outcomes in patients with acute non-Q-wave myocardial infarction randomly assigned to an invasive as compared with conservative management strategy. *N Engl J Med* 1998;338:1785-92.
- Falk E. Why do plaques rupture? *Circulation* 1992;86:30-42.
- Forrester JS. Role of plaque rupture in acute coronary syndromes. *Am J Cardiol* 2000;86:15-23
- Fujii K, et al. Intravascular ultrasound assessment of ulcerated ruptured plaques. *Circulation* 2003;108:2473-78.
- Gould KL et al. Changes in myocardial perfusion abnormalities by positron emission tomography after long-term, intense risk factor modification. *JAMA* 1995;274:894-901.
- Hu FB, Willett WC. Optimal diets for prevention of coronary heart disease. *JAMA* 2002;288:2569-2578. (Editorial response to authors by: Masley SC, et al. *JAMA* 2002:289.)
- Jenkins DJ, et al. *JAMA* 2003
- Joshipura KJ, et al. The effect of fruit and vegetable intake on risk for coronary heart disease. *Ann Intern Med.* 2001;134:1106-1114.
- Joshipura KJ, et al. Periodontal disease, tooth loss, and incidence of ischemic stroke. *Stroke* 2003;34:47-52.
- LaCroix AZ, et al. Does walking decrease the risk of cardiovascular disease hospitalizations and death in older adults? *JAGS* 1996;44:113-20.
- Lopez-Miranda J, et al. *J Lipid Res* 1994;35:1965-75.
- Masley SC. Dietary Therapy for Preventing and Treating Coronary Artery Disease. *American Family Physician* 1998;57:1299-1301.
- Masley SC. Group office visits change dietary habits of patients with coronary artery disease. *JFP* 2001;50.
- Morgan SA, et al. A low-fat diet supplemented with monounsaturated fat results in less HDL-C lowering than a very-low-fat diet. *J Am Diet Assoc* 1997;97:151-156.
- Ordovas JM; *Biochem Soc Trans* 2001;30:68-73
- Ornish D, et al. Can lifestyle changes reverse coronary heart disease? The Lifestyle Heart Trial. *Lancet* 1990;336:129-33.
- Ridker PM, et al. C-reactive protein and other markers of inflammation in the prediction of cardiovascular disease in women. *N Eng J Med* 2000;342:836-43.
- Ridker PM et al. Non-HDL cholesterol, apolipoproteins A-1 and B100, standard lipid measures, lipid ratios, and CRP as risk factors for CVD in women. *JAMA* 2005;294:326-333.
- Rimm EB et al. Alcohol in the Mediterranean diet. *Am J Clin Nutr* 1995;61:1378S-82S
- Shephard RJ et al. Exercise as cardiovascular therapy. *Circulation.* 1999;99:963-72.
- Spiller GA et al. Effects of plant-based diets high in almonds on serum lipoproteins in humans. *American College Nutrition* 2003;22:195-200.

- Thun MJ et al. Alcohol consumption and mortality among middle-aged and elderly US adults. *N Eng J Med* 1997;337:1705-14.
- Vélez-Carrasco W et al. Dietary restriction of saturated fat and cholesterol decrease HDL ApoA-1 Secretion. *Arterioscler Thromb Vascu Biol.* 1999;19:918-24.
- Wan Y et al. Effects of cocoa powder and dark chocolate on LDL oxidative susceptibility and prostaglandin concentrations in humans. *Am J Clin Nutr* 2001;74:596-602.
- Trappe SW et al. Aging among elite distance runners : a 22-year longitudinal study. *J. Appl. Physiol.* 1996;314:605-13.
- LaCroix AZ et al. Does walking decrease the risk of cardiovascular disease hospitalizations and death in older adults? *JAGS* 1996;44:113-20.
- Manson JE et al. A prospective study of walking as compared with vigorous exercise in the prevention of coronary heart disease in women. *N Eng J Med* 1999;341:650-8.
- Wessel TR et al. Relationship of physical fitness versus body mass index with coronary artery disease and cardiovascular events in women. *JAMA* 2004;292:1179-87.
- Williams RB. Psychosocial risk factors for cardiovascular disease: More than one culprit at work.. *JAMA* 2003;290:1190-92.
- Willett WC, et al. Coffee consumption and coronary heart disease in women. *JAMA* 1996;275:458-62.

#### CHOCOLATE AND COCOA

- Denke, MA. Effects of cocoa butter on serum lipids in humans. *Am J Clin Nutr* 1994;60(suppl):1014S-6S.
- Fraga CG. Cocoa, diabetes, and hypertension: should we eat more chocolate? *Am J Clin Nutr* 2005;81:541-2.
- Grassi D et al. Short term administration of dark chocolate is followed by a significant increase in insulin sensitivity and a decrease in blood pressure in healthy persons. *Am J Clin Nutr* 2005;81:611-4.
- Hu FB, et al. Dietary saturated fats and their food sources in relation to the risk of coronary heart disease in women. *Am J Clin Nutr* 1999;70:1001-8.
- Rein D et al. Cocoa inhibits platelet activation and function. *Am J Clin Nutr* 2000;72:30-5.
- Sarafini M et al. Plasma antioxidants from chocolate. *Nature* 2003;424:28.
- Wan Y, et al. Effects of cocoa powder and dark chocolate on LDL oxidative susceptibility and prostaglandin concentrations in humans. *Am J Clin Nutr* 2001;74:596-02.

#### CHOLESTEROL AND LIPIDS

- Barnard RJ. Effects of Life-style Modification on Serum Lipids. *Arch Intern Med* 1991;151:1389-94.
- Childs MT, et al. Effects of shellfish consumption on lipoproteins in normolipidemic men. *Am J Clin Nutr* 1990;51:1020-7.
- De Oliveira e Silva ER, et al. Effects of shrimp consumption on plasma lipoproteins. *Am J Clin Nutr* 1996;64:712-7.
- Erdman JW, for the AHA Nutrition Committee. Soy Protein and Cardiovascular Disease. *Circulation* 2000;102:2555-59.
- Frost. (*Type of Glycemic Intake Impacts HDL levels*) *The Lancet* 1999;353:1045
- Mormando RM. Lipid levels. Apply the second National Cholesterol Education Program report to geriatric medicine. *Geriatrics* 2000;55:48-53.
- Most MM, et al. Rice bran oil, not fiber, lowers cholesterol in humans. *Am J Clin Nutr* 2005;81:64-8.
- Shai I et al. Multivariate Assessment of lipid parameters as predictors of coronary heart disease among postmenopausal women. *Circulation* 2004;110:2824-2830.
- Spiller GA et al. Effects of plant-based diets high in almonds on serum lipoproteins in humans. *American College Nutrition* 2003;22:195-200.
- Vélez-Carrasco W et al. Dietary restriction of saturated fat and cholesterol decrease HDL ApoA-1 Secretion. *Arterioscler Thromb Vascu Biol.* 1999;19:918-24.
- Visich PS, et al. Effects of exercise with varying energy expenditure on HDL cholesterol. *Eur J Appl Physiol* 1996;72:242-8.
- Williams PT. HDL cholesterol and other risk factors for coronary heart disease in female runners. *N Engl J Med* 1996;334:1298-303.

#### COGNITIVE FUNCTION

- Berr, C. Oxidative stress and cognitive impairment in the elderly. *J Nutr Health Aging* 2002;6:261-6.
- Greenwood CE. Dietary carbohydrate, glucose regulation, and cognitive performance in elderly persons. *Nutrition Reviews.* 2003;61:S68-S74.
- Martin A, et al. Effects of fruits and vegetable on levels of vitamins E and C in the brain and their association with cognitive performance. *J Nutr Health Aging* 2002;6:392-404.
- Morris MC, et al. Dietary fat intake and 6-year cognitive change in an older biracial community population. *Neurology;* 2004;62:1573-9.
- Morris MC, et al. Dietary intake of antioxidant nutrients and the risk of incident Alzheimer disease in a biracial community study. *JAMA* 2002;287:3230-7.
- Murialdo G, et al. Relationships between cortisol, dehydroepiandrosterone sulphate and insulin-like growth factor I system in dementia. *J Endocrinol Invest* 2001;24:139-46.
- Perlmutter D, Colman C. *The Better Brain Book.* Riverhead Books, a member of Penguin Group, New York, 2004.
- Petersen RC, et al. Vitamin E and donepezil for the treatment of mild cognitive impairment. *N Engl J Med* 2005;352:1-10.
- Rasmusson S, et al. Increased glucocorticoid production and altered cortisol metabolism in women with mild to moderate Alzheimer's disease. *Biol Psychiatry* 2001;49:547-52.
- Weiner, MF, et al. Cortisol secretion and Alzheimer's disease progression. *Biol Psychiatry* 1997;42:1030-8.
- Williams P, Lord SR. Effects of group exercise on cognitive functioning and mood in older women. *Aust NZ J Public Health* 1997;21:45-52.
- Yaffee K, et al. The metabolic syndrome, Inflammation, and risk of cognitive decline. *JAMA* 2004;292:2237-42.

#### COGNITIVE FUNCTION AND EXERCISE

- Hillman CH, et al. Physical activity and executive control. *Res Q Exerc Sport* 2004;Jun;75(2):176-85.
- 2 ) Kubesch S, et al. Aerobic endurance exercise improves executive functions in depressed patients. *J Clin Psychiatry*. 2003 Sep;64(9):1005-12.
- Colcombe SJ, et al. Aerobic fitness reduces brain tissue loss in aging humans. *J Gerontol A Biol Sci Med Sci*. 2003 Feb;58(2):176-80
- Weuve J, et al. Physical activity, including walking, and cognitive function in older women. *JAMA* 2004 Sep 22;292(12):1454-61.
- Heyn P, et al. The effects of exercise training on elderly persons with cognitive impairment and dementia: a meta-analysis. *Arch Phys Med Rehabil* 2004 Oct;85(10):1694-704.
- Singh-Manoux A, et al. Effects of physical activity on cognitive functioning in middle age: evidence from the Whitehall II prospective cohort study. *Am J Public Health*. 2005 Dec;95(12):2252-8.
- Weicker H, et al. Influence of exercise on serotonergic neuromodulation in the brain. *Amino Acids* 2001;20(1):35-47.
- Brisswalter J, et al. Effects of acute physical exercise characteristics on cognitive performance. *Sports Med* 2002;32(9):555-66.
- Churchill JD, et al. Exercise, experience and the aging brain. *Neurobiol Aging* 2002 Sep-Oct;23(5):941-55.
- Barnes DE, et al. A longitudinal study of cardiorespiratory fitness and cognitive function in health older adults. *J Am Geriatr Soc* 2003 Apr;51(4):459-65.
- Mummery K, et al. Physical activity does-response effects on mental health status in older adults. *Aust N Z J Public Health* 2004 Apr;28(2):188-92.
- Colcombe SJ, et al. Neurocognitive aging and cardiovascular fitness: recent findings and future directions. *J Mol Neurosci* 2004;24(1):9-14.
- Leitseder V, et al. Does aerobic training improve mental stress tolerance in job situations? *J Sports Med Phys Fitness* 2004 Dec;44(4):404-10.
- Small GW, et al. Effects of a 14-day healthy longevity lifestyle program on cognitive and brain function. *Am J Geriatr Psychiatry*. 2006 Jun;14(6):538-45.
- Pierce TW, et al. Effects of aerobic exercise on cognitive and psychosocial function in patients with mild hypertension. *Health Psychol* 1993 Jul;12(4):286-91.
- Pierce TW, et al. Effects of aerobic exercise on cognitive and psychosocial function in patients with mild hypertension. *Health Psychol* 1993 Sept;12(5):389.
- Roth DL, et al. Association of physical activity and visual attention in older adults. *J Aging Health* 2003 Aug;15(3):534-47.
- Lautenschlager NT, et al. Physical activity and cognition in old age. *Curr Opin Psychiatry* 2006 Mar;19(2):190-3.
- Rikli RE, et al. Effects of a three-year exercise program on motor function and cognitive processing speed in older women. *Res Q Exerc Sport* 1991 Mar;62(1):61-7.

#### DETOXIFICATION

- Bjarnason I, et al. Intestinal permeability and inflammation in rheumatoid arthritis. *Lancet* 1984;Nov 24:1171-74.
- Bland JS, Benum S. *The 20-Day Rejuvenation Diet Program*. Keats Publishing, Inc. 1997.
- Bland JS, et al. A medical food-supplemented detoxification program in the management of chronic health problems. *Alternative Therapies in Health and Medicine* 1995;6:62-71
- Pizzorno JE et al. Detoxification: A naturopathic perspective. *Nat Med J* 1998;1:6-7.
- Rajput AH. Environmental toxins accelerate Parkinson's disease onset. *Neurology* 2001;56:4-5.
- Stephenson J. Exposure to home pesticides linked to Parkinson disease. *JAMA* 2000;283:3055-6.

#### EXERCISE

- Gillick M. Pinning down frailty. *J Gerontol Med Sci*. 2001;56A:M134-35.
- Gregg EW et al. Relationship of walking to mortality among US adults with diabetes. *Arch Intern Med* 2003;163:1440-42.
- Hakim AA et al. Effects of walking on mortality among nonsmoking retired men. *N Engl J Med* 1998;338:94-9.
- Hu FB, et al. Walking compared with vigorous physical activity and risk of type 2 diabetes in women. *JAMA* 1999;282:1433-39.
- Kushi LH et al. Physical activity and mortality in postmenopausal women. *JAMA* 1997;277:1287-92.
- LaCroix AZ et al. Does walking decrease the risk of cardiovascular disease hospitalizations and death in older adults? *JAGS* 1996;44:113-20.
- Manson JE, et al. A prospective study of walking as compared with vigorous exercise in the prevention of coronary heart disease in women. *N Engl J Med* 1999;341:650-8.
- Myers J, et al. Exercise capacity and mortality among men referred for exercise testing. *N Engl J Med* 2002;346:793-801.
- Nelson M. *Strong Women Stay Young*. New York: Bantam, 2000.
- Paffenbarger R et al. Physical activity, all-cause mortality, and longevity of college alumni. *N Engl J Med* 1986;314:605-13.
- Seguin R, Nelson ME. The benefits of strength training for older adults. *Am J Prev Med* 2003;25:141-9.
- Trappe SW et al. Aging among elite distance runners : a 22-year longitudinal study. *J. Appl. Physiol*. 1996;314:605-13.
- Visser M et al. Leg muscle mass and composition in relation to lower extremity performance in men and women age 70-79: the health, aging and body composition study. *J Am Geriatr Soc*. 2002;50:897-904.
- Watkins LL et al. Effects of exercise and weight loss on cardiac risk factors associated with syndrome X. *Arch Intern Med* 2003;163:1889-95.
- Wessel TR, et al. Relationship of physical fitness vs body mass index with coronary artery disease and cardiovascular events in women. *JAMA* 2004;292:1179-1187.
- Wing, RR *Ann Rev Nutr* 2001;21:323.

#### ENDOTHELIAL FUNCTION (BLOOD VESSEL FUNCTION)

- Fuentes F, et al. Mediterranean and low-fat diets improve endothelial function in hypercholesterolemic men. *Ann Intern Med* 2001;134:1115-1119.
- Hambrecht R et al. Effect of exercise on coronary endothelial function in patients with coronary artery disease. *N Engl J Med* 2000;342:454-60.
- Tomaino RM et al. High-fat meals and endothelial function. *Nutrition Reviews* 1998;56:182-85.
- Ziccardi P, et al. Reduction of inflammatory cytokine concentrations and improvement of endothelial functions in obese women after weight loss over one year. *Circulation* 2002;105:804-09.

#### FATS (DIETARY)

- Abbasi F, et al. High carbohydrate diets, triglyceride-rich lipoproteins, and coronary heart disease risk. *Am J Cardiol* 2000;85:45-8.
- Byers T. Hardened fats, hardened arteries? *N Engl J Med*; 1997;337:1544-45.
- Garg A. High monounsaturated fat diets for patients with diabetes mellitus: a meta-analysis. *Am J Clin Nutr* 1998;67:577S-82S.
- Hu FB, et al. Dietary fat intake and the risk of coronary heart disease in women. *N Engl J Med* 1997;337:1491-9.
- Hu FB. The Mediterranean diet and mortality. Olive oil and Beyond. *N Engl J Med* 2003;108:1554-9.
- Judd JT, et al. Effects of margarine compared with those of butter on blood lipid profiles related to cardiovascular disease risk factors in normolipemic adults fed controlled diets. *Am J Clin Nutr* 1998;68:768-77.
- King IB, et al. Serum trans-fatty acids are associated with risk of prostate cancer in beta-carotene and retinol efficacy trial. *Cancer Epidemiol Biomarkers Prev.* 2005;14:988-92.
- Kris-Etherton PM, et al. High-monounsaturated fatty acid diets lower both plasma cholesterol and triacylglycerol concentrations. *Am J Clin Nutr* 1999;70:1009-15.
- Kris-Etherton PM, et al. Trans fatty acids and coronary heart disease risk. *Am J Clin Nutr* 1995;62 S
- Kromhout D et al. Saturated fat, vitamin c and smoking predict long-term population all-cause mortality rates in the Seven Countries Study. *Int J Epi* 2000;29:260-265.
- Larsen LF et al. Are olive oil diets antithrombotic? Diets enriched with olive, rapeseed, or sunflower oil affect postprandial factor Vii differently. *Am J Clin Nutr* 1999;70:976-82.
- Lopez-Garcia E, et al. Consumption trans fatty acids is related to plasma biomarkers of inflammation and endothelial dysfunction. *J Nutr* 2005;135:662-6.
- Renaud S, et al. Cretan Mediterranean diet for prevention of coronary heart disease. *Am J Clin Nutr* 1995;61:1360S-7.
- Yaqoob P, et al. Effect of olive oil on immune function in middle-aged men. *Am J Clin Nutr* 1998;67:129-35.

#### FIBER

- Anderson JW. Whole grains and coronary heart disease: the whole kernel of truth. *Am J Clin Nutr* 2004;80:1459-60.
- Anderson JW, et al. Cholesterol-lowering effects of psyllium intake adjunctive to diet therapy in men and women with hypercholesterolemia. *Am J Clin Nutr* 2000;71:472-9.
- Anderson JW, et al. Hypocholesterolemic effects of oat and bean products. *Am J Clin Nutr* 1988;48:749-53.
- Chandalia M, et al. Beneficial effects of high dietary fiber intake in patients with type 2 diabetes mellitus. *N Engl J Med* 2000;342:1392.
- Jenkins DJ et al. Viscous and nonviscous fibres, nonabsorbable and low glycaemic index carbohydrates, blood lipids and coronary heart disease. *Curr Opin Lipidol* 2000;11:49-56
- Joshipura KJ, et al. Fruit and vegetable intake in relation to risk of ischemic stroke. *JAMA* 1999;282:1233-1239.
- Joshipura KJ, et al. The effect of fruit and vegetable intake on risk for coronary heart disease. *Ann Intern Med* 2001;134:1106-14.
- Liu S, et al. Whole grain consumption and risk of ischemic stroke in women. *JAMA* 2000;284:1534-40.
- Mozaffarian D, et al. Cereal, fruit, and vegetable fiber intake and the risk of cardiovascular disease in elderly individuals. *JAMA* 2003;289:1659-1666.
- Salmeron J, et al. Dietary fiber, Glycemic load, and risk of non-insulin-dependent diabetes mellitus in women. *JAMA* 1997;277:472-77.
- Vuksan V et al. Konjac-mannan improves glycemia and associated risk factors for coronary heart disease in type 2 diabetes. *Diabetes Care* 1999;22:913-919.
- Vuksan V et al. Beneficial effects of viscous dietary fiber from Konjac-mannan in subjects with the insulin resistance syndrome: results of a controlled metabolic trial. *Diabetes Care.* 2000;23:9-14.
- Vuksan V et al. Konjac-mannan and American ginseng: emerging alternative therapies for type 2 diabetes mellitus. *J Am Coll Nutr* 2001;20(5):370S-383S.
- Wu H, et al. Dietary fiber and progression of atherosclerosis: the Los Angeles Atherosclerosis Study. *Am J Clin Nutr* 2003;78:1085-91.

#### FLAX SEED

- Bloedon LT, Szapary PO. Flaxseed and cardiovascular risk. *Nutrition Reviews* 2004;62:18-27.
- Cunnane SC, et al. Nutritional attributes of traditional flaxseed in healthy young adults. *Am J Clin Nutr* 1994;61:62-8.
- Ferrier LK, et al. Alpha linolenic acid and docosahexaenoic acid enriched eggs from hens fed flaxseed: influence on blood lipids and platelet phospholipids fatty acids in humans. *Am J Clin Nutr* 1995;62:81-6.
- Mantzioris E, et al. Dietary substitution with an alpha linolenic acid rich vegetable oil increases eicosapentaenoic acid concentrations in tissues. *Am J Clin Nutr* 1994;59:1304-9.

#### GARLIC

- Berthold HK, et al. Effect of a garlic oil preparation on serum lipoproteins and cholesterol metabolism (Deodorized Garlic) *JAMA* 1998;279:1900-02.
- Srivastava KC, et al. Effects of a garlic-derived principle on aggregation and arachidonic acid metabolism in human blood platelets. *Prostaglandins, Leukotrienes and Essential Fatty Acids* 1993;49:587-595.

- Steiner M, et al. A double-blind crossover study in moderately hypercholesterolemic men that compared the effect of aged garlic extract and placebo administration on blood lipids. *Am J Clin Nutr* 1996;64:866-70.
- Tattelman E. Health effects of garlic. *Am Fam Physician* 2005;72:103-6.

#### GLYCEMIC LOAD (GLYCEMIC INDEX)

- Anderson GH, Woodend D. Effect of Glycemic carbohydrates on short-term satiety and food intake. *Nutrition Reviews* 2003;61:S17-S26.
- Brand-Miller JC, et al. *The New Glucose Revolution*. Marlowe & Company, New York. 2003
- Brand Miller. JC, et al. Glycemic index and obesity. *Am J Clin Nutr* 2002;76:281S-85S.
- Brand-Miller JC, et al. Glycemic load and chronic disease. *Nutrition Reviews* 2003;61:S49-S55.
- Bruce WR, et al. Mechanisms linking diet and colorectal cancer. *Nutrition and Cancer* 2000;37:19-26.
- Frost G. Glycaemic index as a determinant of serum HDL-cholesterol concentration. *Lancet* 1999;353:1045
- Giacco R, et al. Long-term dietary treatment with increased amounts of fibre-rich low-glycemic index natural foods improves blood glucose control and reduces the number of hypoglycemic events in type 1 diabetic patients. *Diabetes Care* 2000;23:1461-66.
- Salmeron J et al. Dietary fiber, glycemic load, and risk of non-insulin-dependent diabetes in women. *JAMA* 1997;277:472-77.
- Saris WHM. Glycemic Carbohydrate and body weight regulation. *Nutrition Reviews* 2003;61:S10-S16.
- Willett et al. Glycemic index, glycemic load, and risk of type 2 diabetes. *Am J Clin Nutr* 2002;76:274S-80S.
- Wolever TMS. The glycemic index. *World Rev Nutr Diet.* 1990;62:120-185.

#### HOMOCYSTEINE (and FOLIC ACID)

- Budge M, et al. Plasma total homocysteine and cognitive performance in a volunteer elderly population. *Ann NY Acad Sci* 2000;May 20:407-10.
- Chait A, et al. Increased dietary micronutrients decrease serum homocysteine concentrations inpatients at high risk of cardiovascular disease.
- Nurk E, et al. Plasma total homocysteine and hospitalizations for cardiovascular disease. *Arch Inter Med* 2002;162:1374-81.
- Pancharuniti N, et al. Plasma homocysteine, folate, and vitamin B-12 concentrations and risk for early-onset coronary artery disease. *Am J Clin Nutr* 1994;59:940-8.
- Ravaglia G, et al. Homocysteine and cognitive function in healthy elderly community dwellers in Italy. *Am J Clin Nutr* 2003;77:668-73.
- Sato Y, et al. Effect of folate and mecobalamin on hip fractures; inpatients with stroke. *JAMA* 2005;293:1082-88.
- Schnyder G, et al. Effect of homocysteine-lowering therapy with folic acid, vitamin B12, and vitamin B6 on clinical outcome after percutaneous coronary intervention. *JAMA* 2002;288:973-79.
- Selhub J, et al. Association between plasma homocysteine concentrations and extracranial carotid artery stenosis. *N Eng J Med* 1995;332:286-91.
- Seshadri S, et al. Plasma homocysteine as a risk factor for dementia and Alzheimer's disease. *N Engl J Med* 2002;346:476-83.
- Weir DG, Molloy AN. Microvascular disease and dementia in the elderly: are they related to hyperhomocysteinemia? *Am J Clin Nutr* 2000;71:859-60.
- Welch GN, Loscalzo J. Homocysteine and atherothrombosis. *N Engl J Med* 1998;338:1042-50.

#### INFLAMMATION

- Belluzzi A, et al. Effect of an enteric coated fish oil preparation on relapses in Crohn's disease. *N Engl J Med* 1996;334:1557-60.
- Hansson GK. Inflammation, atherosclerosis, and coronary artery disease. *N Eng J Med* 2005; 352:1685-95.
- Ridker PM et al. C-reactive protein and other markers of inflammation in the prediction of cardiovascular disease in women. *N Eng J Med* 2000;342:836-43.
- Ridker PM. High-sensitivity C-reactive protein, inflammation, and cardiovascular risk. *Am Heart J* 2004;148:S19-26.
- Sesso HD, et al. C-Reactive protein and the risk of developing hypertension. *JAMA* 2003;290:2945-51.

#### LOW-CARB DIETS

- Astrup A, et al. Atkins and other low-carbohydrate diets: hoax or an effective tool for weight loss? *The Lancet* 2004;364:897-99.
- Aude YW, et al. The national cholesterol education program diet vs a diet lower in carbohydrate and higher in protein and monounsaturated fat. *Arch Intern Med* 2004;164:2141-46.
- Brehm BJ, et al. A randomized trial comparing a very low carbohydrate diet and a calorie-restricted low fat diet on body weight and cardiovascular risk factors in healthy women. *J Clin Endocrinol Metab* 2003;88:1617-23.
- Burros M. Make that steak a bit smaller, Atkins advises today's dieters. *New York Times*. January 18, 2004.
- Fleming RM. *Prev Cardiol* 2002;5(3):110-118.
- Foster GD, et al. Randomized trial of a low-carb diet for obesity. *N Engl J Med* 2003;348:2082-90.
- Samaha FF, et al. A Low-carb as compared with a low-fat diet in severe obesity. *N Engl J Med* 2003;348:2074-87.
- Stern L, et al. The effects of low-carb versus conventional weight loss diets in severely obese adults: One-year follow up of a randomized trial. *Ann Intern Med* 2004;140:778-785.
- Willi SM, et al. The effects of a high-protein, low-fat ketogenic diet on adolescents with morbid obesity: body composition, blood chemistries, and sleep abnormalities. *Pediatrics* 1998;101:61-7.

#### MERCURY

- Chan H M, Egeland GM. Fish consumption, mercury exposure, and heart disease. *Nutrition Reviews* 2004;62:68-72.
- Guallar E et al. Mercury, fish oils, and the risk of myocardial infarction. *N Engl J Med* 2002;347:1747-54.
- Hyman MH. The impact of mercury on human health and the environment. *Alternative Therapies*;2004;10:70-74.

## METABOLIC SYNDROME AND DIABETES

- Eckel RH, et al. The metabolic syndrome. *Lancet* 2005;365:1415-28.
- Furberg AS, et al. Metabolic and hormonal profiles: HDL cholesterol as a plausible biomarker of breast cancer risk. The Norwegian EBBA Study. *Cancer Epidemiol Biomarkers Prev* 2005;14:33-40.
- Grundy SM. Inflammation, Hypertension, and the metabolic syndrome. *JAMA* 2003;290:3000-3002.
- Grundy SM, et al. Diagnosis and management of the metabolic syndrome. An American Heart Association/National Heart, Lung, and Blood Institute Scientific Statement.: Executive Summary. *Circulation* 2005;112:0000-0006.
- Henry FI, et al. The metabolic syndrome, cardiopulmonary fitness, and subcutaneous trunk fat as independent determinants of arterial stiffness: the Amsterdam Growth and Health Longitudinal Study. *Arch Intern Med* 2005;165:875-82.
- Kumari M, et al. Minireview: Mechanisms by which the metabolic syndrome and diabetes impair memory. *J Gerontology: Biological Sciences* 2000;55A:228-32.
- Laukkanen JA, et al. Metabolic syndrome and the risk of prostate cancer in Finnish men: a population based study. *Cancer Epidemiol Biomarkers Prev* 2004;13:1646-50.
- McKeown NM, et al. Carbohydrate nutrition, insulin resistance, and the prevalence of the metabolic syndrome in the Framingham Offspring Cohort. *Diabetes Care* 2004;27:538-46.
- Meyer KA, et al. Carbohydrates, dietary fiber, and incident type 2 diabetes in older women. *Am J Clin Nutr* 2000;71:921-30.
- Ness KK, et al. Prevalence of the metabolic syndrome in relation to self-reported cancer history. *Ann Epidemiol* 2005;15:202-6.
- Orchard TJ, et al. The effect of Metformin and intensive lifestyle intervention on the metabolic syndrome: the Diabetes Prevention Program randomized trial. *Ann Intern Med* 2005;142:611-9.
- Reaven GM. Metabolic syndrome: pathophysiology and implications for management of cardiovascular disease. *Circulation* 2002;106:286-8.
- Reaven GM. Diet and Syndrome X. *Curr Atheroscler Rep* 2000;2:503-7.
- Spies C, et al. Association of metabolic syndrome with exercise capacity and heart rate recovery in patients with coronary heart disease in the heart and soul study. *Am J Cardiol* 2005;95:1175-9.
- Weinstein AR et al. Relationship of physical activity versus body mass index with type 2 diabetes in women. *JAMA* 2004;292:1188-94.

## NUTS

- Dreher ML, et al. The traditional and emerging role of nuts in healthful diets. *Nutrition Reviews* 1996;54:241-5.
- Fraser GE et al. A possible protective effect of nut consumption on risk of coronary heart disease. *Arch Intern Med* 1992;152:1416-1424.
- Hu FB et al. Frequent nut consumption and risk of coronary heart disease in women. *BMJ* 1998;317:1341-5.
- Jenkins DFA et al. Dose response of almonds on coronary heart disease risk factors. *Circulation* 2002;106:1327-32.
- Kris-Etherton PM et al. The effects of nuts on coronary heart disease risk. *Nutrition Reviews* 2001;59:103-111.
- Sabaté J et al. Effects of walnuts on serum lipid level and blood pressure in normal men. *N Engl J Med* 1993;328:603-7.
- Spiller GA et al. Effects of plant-based diets high in raw or roasted almonds, or roasted almond butter on serum lipoproteins in humans. *J Am Coll Nutr* 2003;22:195-200.

## OMEGA-3 FATS (FISH OIL)

- Ascherio A et al. Dietary intake of marine n-3 fatty acids, fish intake, and the risk of coronary disease among men. *N Engl J Med* 1995;332:977-82.
- Belluzzi A, et al. Effect of an enteric-coated fish oil preparation on relapses in Crohn's disease. *N Engl J Med* 1996;334:1557-60.
- Covington MB. Omega-3 Fatty Acids. *AFP* 2004;70:133-40.
- Darlington LG et al. Review of dietary therapy for rheumatoid arthritis. *British J Rheum.* 1993;32:507-14
- De Lorgeril M, et al. Mediterranean alpha-linolenic acid rich diet in secondary prevention of coronary heart disease. *Lancet* 1994;343:1454-59.
- GISSI-Prevenzione Investigators. (Vitamin E and fish oil for cardiovascular disease.) *Lancet* 1999;354:471
- Hu FB, et al. Fish and omega-3 fatty acid intake and risk of coronary heart disease in women. *JAMA* 2002;287:1815-21.
- Hu FB, et al. Dietary intake of alpha linolenic acid and risk of fatal ischemic heart disease among women. *Am J Clin Nutr* 1999;69:890-7.
- Mischoulon D, Fava M. Docosahexanoic acid and omega-3 fatty acids in depression. *Psychiatr Clin North Am* 2000;23:785-94.
- Mori TA et al. Effect of omega-3 fatty acids on oxidative stress in humans. *Redox Report* 2000;5:45-6
- Sanders TAB et al. Triglyceride-lowering effect of marine polyunsaturates in patients with hypertriglyceridemia. *Arteriosclerosis* 1985;5:459-65.
- Simopoulos AP. The importance of the ratio of omega-6/omega-3 fatty acids. *Biomed Pharmacother* 2002;56:365-79.
- Vannice G, Kelly J. Omega-3 fatty acids and cardiovascular health.
- Vessby B, et al. Effect of dietary fat on insulin sensitivity and insulin secretion. *Diabetologia* 1999;42:A46.
- Wainwright PE. Nutrition and behaviour: the role of n-3 fatty acids in cognitive function. *Br J Nutr* 2000;83:337-39.

## OSTEOPOROSIS

- Anderson JJB. The important role of physical activity in skeletal development: how exercise may counter low calcium intake. *Am J Clin Nutr* 2000;71:1384-6.
- Genaro P de S, Maartini LA. Vitamin A supplementation and risk of skeletal fracture. *Nutrition Reviews* 2004;62:65-67.
- Sato Y et al. Effect of folate and mecobalamin on hip fractures in patients with stroke. *JAMA* 2005;293:1082-88.
- Vannice G, Kelly J. Omega-3 fatty acids and cardiovascular health.
- De Souza Genaro P et al. Vitamin A supplementation and risk of skeletal fracture. *Nutrition Reviews*;2004;62:65-72.

## OXIDATIVE STRESS

- Franzoni F, et al. Physical activity, plasma antioxidant capacity, and endothelium-dependent vasodilation in young and older men. *Am J Hypertens* 2005;18:510-6.
- Furukawa S, et al. Increased oxidative stress in obesity and its impact on metabolic syndrome. *J Clin Invest* 2004;114:1752-61.
- Ginseng GS, et al. Effects of a single bout of ultra-endurance exercise on lipid levels and susceptibility of lipids to peroxidation in triathletes. *JAMA* 1996;276:221-225.
- Piroddi GF, et al. Oxidative stress and reactive oxygen species. *Contrib Nephrol* 2005;149:240-60.
- Serrano F, Klann E. Reactive oxygen species and synaptic plasticity in the aging hippocampus. *Ageing Res Rev* 2004;3:431-43.
- Sullivan PG, Brown MR. Mitochondrial aging and dysfunction in Alzheimer's disease. *Prog Neuropsychopharmacol Biol Psychiatry* 2005;29:407-10.
- Taylor A, et al. Relations among aging, antioxidant status, and cataract. *Am J Clin Nutr* 1995;62:1439-47.
- Wang J, et al. Increased oxidative damage in nuclear and mitochondrial DNA in Alzheimer's disease. *J Neurochem* 2005;93:953-62.

#### PROTEIN INTAKE

- Knight EL et al. The impact of protein intake on renal function decline in women with normal renal function or mild renal insufficiency. *Ann Int Med* 2003;138:460-7.

#### SARCOPENIA

- Kamel HK. Sarcopenia and Aging. *Nutrition Reviews* 2003;61:157-67.
- Marcell TJ. Sarcopenia: Causes, Consequences, & Preventions. *J Gerontology* 2003;58A:911-916.
- Roubenoff R. Sarcopenia: Effects on Body composition and function. *J Gerontology* 2003;58A:1012-17.

#### SKIN CARE

- Bauman L. *Cosmetic dermatology, principles and practice*. The McGraw-Hill Company 2002.
- Berardesca E et al. Alpha hydroxy acids modulate stratum corneum barrier function. *Br J Dermatol* 1997;137:934.
- Brincat M, et al. Skin Collagen Changes in Postmenopausal Women Receiving Different Regimens of Estrogen Therapy. *Obstet Gynecol* 1987; 70: 123-27.
- Cesarini JP et al. Immediate effects of UV radiation on the skin: modification by an antioxidant complex containing carotenoids. *Photodermatol Photoimmunol Photomed*. 2003;4:182.
- Darr D et al. Topical vitamin C protects porcine skin from ultraviolet radiation-induced damage. *Br J Dermatol* 1992;127:247.
- Draeos Z. Hydroxy acids for the treatment of aging skin. *J Geriatr Dermatol* 1997;5:236.
- Dunn LB, et al. Does Estrogen Prevent Skin Aging? Results From the First National Health and Nutrition Examination Survey (NHANES I). *Arch Dermatol* 1997; March(133): 339-42
- Eberlein-Konig B, Ring J. Relevance of vitamins C and E in cutaneous photoprotection. *J Cosmetic Dermatology* 2005;4:1473-65.
- Elmets CA et al. Cutaneous photoprotection from ultraviolet injury by green tea polyphenols. *J Am Acad Dermatol* 2001;44:425.
- Katiyar SK et al. Green tea and skin. *Arch Dermatol* 2000;136:989.
- Keller et al. Uses of vitamins A, C, and E and related compounds in dermatology. *J Am Acad Dermatol* 1998;39:611.
- Kligman AM. The growing importance of topical retinoids in clinical dermatology. *J Am Acad Dermatol* 1998;39:S2.
- Packer L et al. Alpha-lipoic acid as a biological antioxidant. *Free Radic Biol Med* 1995;19:227.
- Podda M et al. Kinetic study of cutaneous and subcutaneous distribution following topical application of alpha-lipoic acid onto hairless mice. *Biochem Pharmacol* 1996;52:627.
- Saija A, et al. In vitro and in vivo evaluation of caffeic and ferulic acids as topical photoprotective agents. *In J Pharm* 2000;199:39-47.
- Schmidt J, et al. Treatment of skin aging with topical estrogens. *Int J Dermatol* 1996; 35: 669-74.
- Tzingounis V, et al. The significance of oestriol in the management of the post-menopause. *Acta Endocrinologica* 1980, Suppl. 233:45-50.
- Uitto J. Understanding premature skin aging. *N Eng J Med* 1997;337:1463.

#### SOY PRODUCTS

- Baird DD, et al. Dietary intervention study to assess estrogenicity of dietary soy among postmenopausal women. *J Clin Endocrinol Metab* 1995;80:1685-90.
- Baum JA, et al. Long-term intake of soy protein improves blood lipid profiles and increases mononuclear cell LDL receptor messenger RNA in hypercholesterolemic, postmenopausal women. *Am J Clin Nutr* 1998;68:545-51.
- Bhathena SJ, et al. Beneficial role of dietary phytoestrogens in obesity and diabetes. *Am J Clin Nutr* 2002;76:1191-1201.
- Erdman JW, for the AHA Nutrition Committee. Soy Protein and Cardiovascular Disease. *Circulation* 2000;102:2555-59.
- Messina M, et al. Provisional recommended soy protein and isoflavones intakes for health adults. *Nutr Today* 2003;38:100-9.
- Murkies AL, et al. Dietary flour supplementation decreases post-menopausal hot flushes: Effect of soy and wheat. *Maturitas* 1995;21:189-95.
- Potter SM. Soy protein and cardiovascular disease: The impact of bioactive components in soy. *Nutrition Reviews* 1998;56:231-35.
- Young VR. Soy protein in relation to human protein and amino acid nutrition. *J Am Diet Assoc*. 1991;91:828-35.

#### STRESS MANAGEMENT

- Ayas NT, et al. A prospective study of sleep duration and coronary heart disease in women. *Archives of Internal Medicine* 2003;163:205-9.
- Castillo-Richmond A et al. Effects of stress reduction on carotid atherosclerosis in hypertensive African Americans. *Stroke* 2000;31:568-73.

- Elzinga BM, Roelofs K. Cortisol-induced impairments of working memory require acute sympathetic activation. *Behav Neurosci* 2005;119:98-103.
- Lillberg K, et al. Stressful life events and risk of breast cancer in 10,808 women. *Am J Epi* 2003;24:113-9.
- Traustadottir T, et al. The HPA axis response to stress in women: effects of aging and fitness. *Psychoneuroendocrinology* 2005;30:392-402.
- Williams RB, et al. Psychosocial risk factors for cardiovascular disease; more than one culprit at work. *JAMA* 2003;290:2190-92.

#### SUPPLEMENTS

- Lichtenstein AH, Russell RM. Essential Nutrients: Food or Supplements? *JAMA* 2005;294:351-358.

#### Alpha Lipoic acid

- Basts A, et al. Lipoic acid: A multifunctional antioxidant. *Biofactors* 2003;17:207-13.
- Jacob S, et al. Oral administration of RAC-alpha-lipoic acid modulates insulin sensitivity in patients with type-2 diabetes mellitus. *Free Radic Biol Med* 1999;27:309-14.
- Packer L, et al. Neuroprotection by the metabolic antioxidant lipoic acid. *Free Radic Biol Med* 1997;22:357-78.
- Reljanovic M, et al. Treatment of diabetic polyneuropathy with the antioxidant alpha lipoic acid. *Free Radic Res* 1999;31:171-79.

#### Magnesium

- Lima ML, et al. The effect of magnesium supplementation in increasing doses on the control of type 2 diabetes. *Diabetes Care*. 1998;21:682-86.

#### Ginger, Ginkgo biloba, & Ginseng

- Schulick P. *Ginger: Common spice and wonder drug*. Herbal Free Press Ltd. 1994.
- Kiefer D et al. Panax ginseng. *Am Fam Physician* 2003;68:1539-42.

#### Glucosamine

- Christgau S, *Clin Exp Rheumatol*. 2004 Jan-Feb;22(1):36-42.
- Pavelka K, et al. Glucosamine sulfate use and delay of progression of knee osteoarthritis. *Arch Intern Med* 2002;162:2113-23.
- Reginster JY, et al. Long-term effects of glucosamine sulphate on osteoarthritis progression. *Lancet* 2001;357:251-5.
- Scroggie DA, et al. The effect of glucosamine-chondroitin supplementation on glycosylated hemoglobin levels in patients with type 2 diabetes mellitus. *Arch Intern Med* 2003;163:1587-1590.

#### Phosphatidylserine

- Crook TH, et al. Effects of phosphatidylserine in aged-associated memory impairment. *Neurology* 1991;41(5):644-49.
- Jorriens BL, et al. The influence of soy-derived phosphatidylserine on cognition in age-associated memory impairment. *Nutr Neurosci*. 2001;4(2):121-34.
- Jorriens BL, et al. Safety of soy-derived phosphatidylserine in elderly people. *Nutr Neurosci*. 2002 Oct;5(5):337-43.

#### Co Enzyme Q-10

- Backes JM, Howard PA. Association of HMG-Co reductase inhibitors with neuropathy. *Ann Pharmacother* 2003;37:274-78.
- Matthews RT, et al. Coenzyme Q10 administration increases brain mitochondrial concentrations and exerts neuroprotective effects. *Proc Natl Acad Sci USA* 1998 ;95(15):8802-7
- Schults CV, et al. Absorption, tolerability and effects on mitochondrial activity of oral coenzyme Q10 in Parkinsonian patients. *Neurology* 1998;50:793-95.
- Schults CV, et al. Effects of coenzyme Q10 in early Parkinson disease. *Arch Neurol* 2002;59:1541-50.

#### Resveratrol

- Freemont L. Biological effects of resveratrol. *Life Sci* 2000;66(8):663-73.
- Kim YA, et al. Antiproliferative effect of Resveratrol in human prostate carcinoma cells. *J Med Food* 2003;6(4):273-80.

#### Saw Palmetto

- Gordon AE, Shaughnessy AF. Saw palmetto for prostate disorders. *Am Fam Physician* 2003;67:1281-3.

#### Vitamin D

- Chapuy MC, et al. Vitamin D3 and calcium to prevent hip fractures in elderly women. *N Engl J Med* 1992;327:1637-42.
- Garland CF, et al. Can colon cancer incidence and death rates be reduced with calcium and vitamin D? *Am J Clin Nutr* 1991;54:193S-203S.
- Hayes C, et al. *Proc Soc Exp Biol Med* 1997;216:21.
- Holick MF, Jenkins M. *The UV Advantage*, I-books: New York 2004.
- Holick MF. Vitamin D: Importance in the prevention of cancers, type 1 diabetes, heart disease, and osteoporosis. *Am J Clin Nutr* 2004;79:362-71.
- Holick, MF. The sunlight 'D'ilemma: risk of skin cancer or bone disease and muscle weakness. *Lancet* 2001;358:1500-03.
- Luscombe CJ, et al. Exposure to ultraviolet radiation: association with susceptibility and age at presentation with prostate cancer. *Lancet* 2001;358:641-2.
- Malabanan A, et al. Redefining vitamin D deficiency. *Lancet* 1998;351:805-6.
- Merlino, et al. Vitamin D intake is inversely associated with rheumatoid arthritis: results from the Iowa Women's Health Study. *Arthritis and Rheumatism* 2004;50:72.

#### Vitamin E

- Cheung MC, et al. Antioxidant supplements block the response of HDL to simvastatin-niacin therapy in patients with coronary artery disease and low HDL. *Arterioscler Thromb Vasc Biol* 2001;8:1320-6.
- Lee IM, et al. Vitamin E in the primary prevention of cardiovascular disease and cancer. *JAMA* 2005;294:56-65.
- The Heart Outcomes Prevention Evaluation Study Investigators. Vitamin E supplementation and cardiovascular events in high-risk patients. *N Eng J Med* 2000;342:154-60.

- The HOPE trial Investigators. Effects of long-term vitamin E supplementation on cardiovascular events and cancer. *JAMA* 2005;293:1338-47.
- The Hope and Hope-Too Trial Investigators. Effects of long-term vitamin E supplementation on cardiovascular events and cancer. *JAMA* 2005;293:1338-47.
- Schnell JW, et al. Effects of a high polyunsaturated fat diet and vitamin E supplementation on HDL lipoprotein oxidation in humans. *Atherosclerosis* 2001;159:459-66.
- Wander CW, et al. Effects of interaction of RRR- $\alpha$ -tocopheryl acetate and fish oil on LDL oxidation in postmenopausal women with or without HRT. *Am J Clin Nutr* 1996;63:184-93.

#### TEA

- Ahmed N, et al. Green tea polyphenols and cancer: biologic mechanisms and practical implications *Nutr Rev* 1999;57:78-83.
- Bell SJ, et al. A functional food product for the management of weight. *Crit Rev Food Sci Nutr* 2002;42:163-78.
- Geleijnse JM, et al. Inverse association of tea and flavonoid intakes with incident myocardial infarction: the Rotterdam Study. *Am J Clin Nutr* 2002;75:880-6.
- Ishikawa T, et al. Effect of tea flavonoid supplementation on the susceptibility of low-density lipoprotein to oxidative modification. *Am J Clin Nutr* 1997;66:261-6.
- Weinreb O, et al. Neurological mechanisms of green tea polyphenols in Alzheimer's and Parkinson's diseases. *J Nutr Biochem* 2004;15:506-16.

#### TREADMILL TESTING

- Aktas MK. Global risk scores and exercise testing for predicting all-cause mortality in a preventive medicine program. *JAMA*. 2004 Sep 22;292(12):1462-8.
- Cole CR, et al. Heart rate recovery after submaximal exercise testing as a predictor of mortality in a cardiovascularly healthy cohort. *An Inter Med* 2000;132:552-555.
- Jouven X et al. Heart-rate profile during exercise as a predictor of sudden death. *N Engl J Med* 2005;352:1951—8.
- Hawkins SA, et al. A longitudinal assessment of change in  $\dot{V}O_2$ max and maximal heart rate in master athletes. *Med Sci Sports Exerc* 2001;33:1744-50.
- Mora S et al. Ability of exercise testing to predict cardiovascular and all cause death in asymptomatic women. *JAMA* 2003;290:1600-07.
- Vivekananthan DP et al. Heart rate recovery after exercise is a predictor of mortality, independent of the angiographic severity of coronary disease. *J Am Coll Cardiol*. 2003 Sep 3;42(5):831-8.

#### WEIGHT CONTROL

- Dansinger ML et al. Comparison of the Atkins, Ornish, Weight Watchers, and Zone diets for weight loss and heart disease risk reduction: a randomized trial. *JAMA*. 2005;293(1):43-53.
- Donnelly JE, et al. Effects of a 16-month randomized controlled exercise trial on body weight and composition in young, overweight, men and women. *Arch Intern Med* 2003;163:1343-50.
- Ewbank PP et al. Physical activity as a predictor of weight maintenance in previously obese subjects. *Obesity Research* 1995;3:257-62.
- Himaya A, et al. Satiety power of dietary fat: a new appraisal. *Am J Clin Nutr* 1997;65:1410-8.
- Irwin ML, et al. Effect of exercise on total and intra-abdominal body fat in postmenopausal women. *JAMA* 2003;289:323-30.
- Rolls B et al. Salad and Satiety: Do portion size and energy density of a first course affect lunch intake? *NAASO Annual Meeting 2003: Abstract 89-OR; A22*
- Halton TL, Hu FB. The effects of high protein diets on thermogenesis, satiety, and weight loss. *J Am Coll Nutr* 2004;23:373-83.
- Holt SHA et al. A satiety index of common foods. *Eur J Clin Nutr*. 1995;49:675-90
- Nielsen SJ, Popkin BM. Patterns and trends in food portion sizes, 1977-1998. *JAMA* 2003;289:450-453
- Rolls BJ, et al. What can intervention studies tell us about the relationship between fruit and vegetable consumption and weight management? *Nutrition Reviews* 2004;62:1-17.
- Skender ML, et al. Comparison of 2-year weight loss trends in behavioral treatments of obesity: diet, exercise, and combination interventions. *J Am Diet Assoc* 1996;96:342-46.
- Slentz CA, et al. Effects of the amount of exercise on body weight, body composition, and measures of central obesity. *Arch Intern Med* 2004;164:31-39.
- St-Onge, M-P. Dietary fats, teas, dairy and nuts: potential functional foods for weight control? *Am J Clin Nutr* 2005;81:7-15.
- Toth MJ, Poehlman ET. Effects of exercise on daily energy expenditure. *Nutrition Reviews* 1996;54:S140-S148.
- Wien MA et al. Almonds versus complex carbohydrates in a weight reduction program. *J Obes Relat Metab Disord* 2003;11:1365-72.
- Willett WC. Dietary fat and obesity: an unconvincing relation. *Am J Clin Nutr* 1998;68:1149-50.
- Wing, RR, Hill JO. Successful weight loss maintenance. *Ann Rev Nutr* 2001;21:323.
- Zemel MB, Miller SL. Dietary calcium and dairy modulation of adiposity and obesity risk. *Nutrition Reviews*;2004;62:125-31.

#### YOGURT

- Bornet FRJ, et al Immune-stimulating and gut health-promoting properties of short-chain fructo-oligosaccharides. *Nutr Rev* 2002;60:326-34.
- Druggan C, et al. Protective nutrients and functional foods for the gastrointestinal tract. *Am J Clin Nutr* 2002;75:789-808.
- Fortes C, et al. Diet and overall survival in a cohort of very elderly people. *Epidemiol* 2000;11:440-5.
- Saavedra JM. Clinical applications of probiotic agents. *Am J Clin Nutr* 2001;73:1147S-51S